



2020 FRANCHI FİYAT LİSTESİ
(ÖTV KDV DAHİL TAVSİYE EDİLEN PERAKENDE SATIŞ FİYATLARI)
21 Eylül 2020 den itibaren geçerli

FRANCHI

YARI OTOMATİK

Model	Kalibre	Namlu Boyu cm (")	Dipçik	Dipçik & Kabze	Drop mm (")	Pad mm (")	Fişek Yatağı mm (")	Gövde	Ağırlık Kg. (lbs.)	Şoklar	TEPSF (TL)	
AFFINITY ANNIVERSARIO	12	66 (26) 71 (28) 76 (30)	Standart Kabze	Ahşap Ayar 3 Oil	45 (1,77) 50 (1,96) 55 (2,16) 60 (2,36) 65 (2,55)	TSA_ADV	76 (3)	Ergal Nickel İşleme	Kg. 2.85	70MM */***/*****	14,600.00 ₺	
AFFINITY WOOD ONE	12	66 (26) 76 (30) Step rib	Standart Kabze	Avrupa Cevizi Ayar 2 Yağlı Uygulama	45 (1,77) 50 (1,96) 55 (2,16) 60 (2,36) 65 (2,55)	TSA_ADV 22 (0,86) TOTAL 365 (14,37)	76 (3)	Alüminyum Alışım Sentetik	Kg. 2,850 (6,28 lbs.) 66cm (26") Namlu Boyu	50MM (2,75) **** F/M/MC Shot	*; ***; Steel	8,250.00 ₺
	12								8,250.00 ₺			
	20	71 (28) Step rib							8,250.00 ₺			
AFFINITY WHITE	12	61 (24) 66 (26) 71 (28) 76 (30)	Standart Kabze	Avrupa Cevizi Ayar 2 Yağlı Uygulama	45 (1,77) 50 (1,96) 55 (2,16) 60 (2,36) 65 (2,55)	TSA_ADV 22 (0,86) TOTAL 365 (14,37) T	76 (3)	Alüminyum Alışım White Anodized	Kg. 2,850 (6,28 lb) 66cm (26") Namlu Boyu	70MM (2,75) **** F/M/MC Steel Shot	10,275.00 ₺	
AFFINITY CATALYST	12	71 (28) Step Rib	Standart Kabze	Avrupa Cevizi Ayar 2 Yağlı Uygulama	45 (1,77) 50 (1,96) 55 (2,16) 60 (2,36) 65 (2,55)	TSA_ADV 22 (0,86) TOTAL 360 (14,37)	76 (3)	Alüminyum Alışım Sentetik	Kg. 2,850 (6,28 lb)	50MM (2,75) **** F/M/MC Shot	9,125.00 ₺	
AFFINITY BLACK SYNT	12	61 (24) 66 (26) 71 (28) 76 (30)	Standart Kabze	Sentetik Tekno Polimer	45 (1,77) 50 (1,96) 55 (2,16) 60 (2,36) 65 (2,55)	TSA_ADV 22 (0,86) TOTAL 365 (14,37)	76 (3)	Alüminyum Alışım Sentetik	Kg. 3,140 (6,92 lbs.) 66cm (26") Namlu Boyu	70MM (2,75) **** F/M/MC Steel Shot	*; ***; Steel	8,575.00 ₺
	20	61 (24) 66 (26) 71 (28)							Kg. 2,830 (6,23 lbs.) 66cm (26") Namlu Boyu			8,575.00 ₺
AFFINITY BLACK SYNT LH	12	66(26) Step Rib	Standart Kabze	Sentetik Tekno Polimer	45 (1,77) 50 (1,96) 55 (2,16) 60 (2,36) 65 (2,55)	TSA_ADV 22 (0,86) TOTAL 365 (14,37) T	76 (3)	Alüminyum Alışım Sentetik	Kg. 3,140 (6,99 lbs.) 66cm (26") Namlu Boyu	50MM (1,96) **** F/M/MC Shot	*; ***; Steel	8,825.00 ₺
		71 (28) Step Rib										8,825.00 ₺
AFFINITY BLACK SYNT ONE	12	61 (24) 66 (26) 71 (28) 76 (30) Step rib	Standart Kabze	Sentetik Tekno Polimer	45 (1,77) 50 (1,96) 55 (2,16) 60 (2,36) 65 (2,55)	TSA_ADV 22 (0,86) TOTAL 365 (14,37)	76 (3)	Alüminyum Alışım Sentetik	Kg. 3,140 (6,92 lbs.) 66cm (26") Namlu Boyu	50MM (2,75) **** F/M/MC Shot	*; ***; Steel	7,525.00 ₺
												7,525.00 ₺
												7,525.00 ₺
	20	61 (24) 66 (26) 71 (28) Step rib										Kg. 2,830 (6,23 lbs.) 66cm (26") Namlu Boyu
AFFINITY BLACK SYNT SLUG	12	61 (24)	Standart Kabze	Sentetik Tekno Polimer	45 (1,77) 50 (1,96) 55 (2,16) 60 (2,36) 65 (2,55)	TSA_ADV 22 (0,86) TOTAL 365 (14,37)	76 (3)	Alüminyum Alışım Sentetik	Kg. 2,900 (6,39 lbs.)	CYL. Shot Steel	10,275.00 ₺	
AFFINITY CAMO MAX 5 ONE	12	66 (26) 71 (28) 76 (30) Step rib	Standart Kabze	Camo Max5 Tekno Polimer	45 (1,77) 50 (1,96) 55 (2,16) 60 (2,36) 65 (2,55)	TSA_ADV 22 (0,86) TOTAL 365 (14,37)	76 (3)	Alüminyum Alışım Camo Max 5	Kg. 3,140 (6,92 lbs.) 66cm (26") Namlu Boyu	50MM (2,75) **** F/M/MC Shot	*; ***; Steel	8,250.00 ₺
									8,250.00 ₺			
	20	66 (26) 71 (28) Step rib							Kg. 2,830 (6,23 lbs.) 66cm (26") Namlu Boyu			8,250.00 ₺
AFFINITY SPORTING	12	76 (30) Step Rib	Standart Kabze	Sentetik Tekno Polimer	45 (1,77) 50 (1,96) 55 (2,16) 60 (2,36) 65 (2,55)	TSA_ADV 22 (0,86) TOTAL 365 (14,37)	76 (3)	Alüminyum Alışım White Anodized	Kg. 3,200 (7,05 lbs.)	50MM (1,96) kn d *; ***, ***; F/M/MC Steel Shot	9,650.00 ₺	
	20	71 (28) Step Rib							Kg. 2,900 (6,39 lbs.)			9,650.00 ₺
AFFINITY 3 ELITE BRONZE	12	66 (26) 71 (28) 76 (30)	Standart Kabze	Sentetik Camo	45 (1,77) 50 (1,96) 55 (2,16) 60 (2,36) 65 (2,55)	TSA_ADV	76 (3)	Cerakote Burnt Bronze	Kg. 3.1		10,550.00 ₺	
AFFINITY 3 ELITE COBALT	12	66 (26) 71 (28) 76 (30)	Standart Kabze	Sentetik Camo	45 (1,77) 50 (1,96) 55 (2,16) 60 (2,36) 65 (2,55)	TSA_ADV	76 (3)	Cerakote Cobalt	Kg. 3.1		10,550.00 ₺	

Model	Kalibre	Namlu Boyu cm (")	Dipçik	Dipçik & Kabze	Drop mm (")	Pad mm (")	Fişek Yatağı mm (")	Gövde	Ağırlık Kg. (lbs.)	Şoklar	T.E.P.F (TL)
AFFINITY COMPACT BLACK SYNT	12	61 (24) 66 (26) Step rib	Standart Kabze	Sentetik Tekno Polimer	45 (1,77) 50 (1,96) 55 (2,16) 60 (2,36) 65 (2,55)	Rubber Flat 4 Spacers From 315 (12,4) to 340 (13,38)	76 (3)	Alüminyum Alışım Sentetik	Kg. 2,860 (6,3 lbs.)	50MM (1,96) **** F/M/MC Shot	9,850.00 ₺
	20	61 (24) Step rib			Kg. 2,490 (5,5 lbs.)				9,850.00 ₺		
AFFINITY COMPACT CAMO MAX5	12	66 (26) Step rib	Standart Kabze	Camo Max5 Tekno Polimer	45 (1,77) 50 (1,96) 55 (2,16) 60 (2,36) 65 (2,55)	Rubber Flat 4 Spacers From 315 (12,4) to 340 (13,38)	76 (3)	Alüminyum Alışım Camo Max5	Kg. 2,860 (6,3 lbs.)	50MM (1,96) **** F/M/MC Shot	9,950.00 ₺
	20				Kg. 2,490 (5,5 lbs.)				9,950.00 ₺		

AFFINITY COMPACT CAMO APG	20	66 (26) Step rib	Standart Kabze	Camo APG Tekno Polimer	45 (1,77) 50 (1,96) 55 (2,16) 60 (2,36) 65 (2,55)	Rubber Flat 4 Spacers From 315 (12,4) to 340 (13,38)	76 (3)	Alüminyum Alışım Camo APG	Kg. 2,490 (5,5 lbs.)	50MM (1,96) **** F/M/MC Shot	9,950.00 ₺
---------------------------	----	------------------	----------------	------------------------	---	--	--------	---------------------------	----------------------	------------------------------	------------

INTENSITY BLACK SYNT	12	66 (26) 71 (28) 76 (30) Step Rib	Standart Kabze	Sentetik Tekno Polimer	45 (1,77) 50 (1,96) 55 (2,16) 60 (2,36) 65 (2,55)	TSA_ADV 22 (0,86) TOTAL 365 (14,37)	89 (3,5)	Alüminyum Alışım Sentetik	Kg. 3,200 (7,05 lbs.) 66cm (26") Namlu Boyu	50MM (1,96) **** F/M/MC Shot	9,950.00 ₺
----------------------	----	----------------------------------	----------------	------------------------	---	-------------------------------------	----------	---------------------------	---	------------------------------	------------

INTENSITY CAMO MAX5	12	66 (26) 71 (28) 76 (30) Step Rib	Standart Kabze	Camo Max4/Max5 Tekno Polimer	45 (1,77) 50 (1,96) 55 (2,16) 60 (2,36) 65 (2,55)	TSA_ADV 22 (0,86) TOTAL 365 (14,37)	89 (3,5)	Alüminyum Alışım Camo Max5	Kg. 3,200 (7,05 lbs.) 66cm (26") Namlu Boyu	50MM (1,96) **** F/M/MC Shot	10,275.00 ₺
---------------------	----	----------------------------------	----------------	------------------------------	---	-------------------------------------	----------	----------------------------	---	------------------------------	-------------

INTENSITY CAMO BOTTOMLAND	12	71 (28) 76 (30) Step Rib	Standart Kabze	Camo Bottomland Tekno Polimer	45 (1,77) 50 (1,96) 55 (2,16) 60 (2,36) 65 (2,55)	TSA_ADV 22 (0,86) TOTAL 365 (14,37)	89 (3,5)	Alüminyum Alışım Camo Bottomland	Kg. 3,250 (7,05 lbs.) 71cm (28") Namlu Boyu	50MM (1,96) **** F/M/MC Shot	10,275.00 ₺
---------------------------	----	--------------------------	----------------	-------------------------------	---	-------------------------------------	----------	----------------------------------	---	------------------------------	-------------

INTENSITY CAMO EXTRAGREEN	12	66 (26) Step Rib	Standart Kabze	Camo Extragreen Tekno Polimer	45 (1,77) 50 (1,96) 55 (2,16) 60 (2,36) 65 (2,55)	TSA_ADV 22 (0,86) TOTAL 365 (14,37)	89 (3,5)	Alüminyum Alışım Camo Extragreen	Kg. 3,200 (7,05 lbs.)	50MM (1,96) **** F/M/MC Shot	10,275.00 ₺
---------------------------	----	------------------	----------------	-------------------------------	---	-------------------------------------	----------	----------------------------------	-----------------------	------------------------------	-------------

SÜPERPOZE

Model	Kalibre	Namlu Boyu cm (")	Dipçik	Dipçik & Kabze	Drop mm (")	Pad mm (")	Fişek Yatağı mm (")	Gövde	Ağırlık Kg. (lbs.)	Şoklar	T.E.P.F (TL)
FEELING STEEL	12	61 (24) 68 (27) 71 (28)	Standart Kabze	Avrupa Cevizi Ayar 2 Yağlı Uygulama	57 (2,24) 36 (1,41)	Rubber Flat Double Ventilated	76 (3)	Steel Chromed	Kg. 3,250 (7,16 lbs.) 66cm (26") Namlu Boyu	50MM (1,96) **** F/M/MC Shot	12,775.00 ₺
	20								Kg. 2,900 (6,39 lbs.) 66cm (26") Namlu Boyu		12,775.00 ₺
	28	68 (27) 71 (28)					70 (2,75)		Kg. 2,850 (6,28 lbs.) 66cm (26") Namlu Boyu	50MM (1,96) **** F/M/MC	14,200.00 ₺
	.410						76 (3)		Kg. 2,950 (6,50 lbs.) 66cm (26") Namlu Boyu		14,200.00 ₺

FEELING ALLOY ALLUMINUM	12	61 (24) 68 (27) 71 (28)	Standart Kabze	Avrupa Cevizi Ayar 2 Yağlı Uygulama	57 (2,24) 36 (1,41)	Rubber Flat Double Ventilated	76 (3)	Alüminyum Alışım White Anodized	Kg. 2,750 (6,06 lbs.) 66cm (26") Namlu Boyu	50MM (1,96) **** F/M/MC Shot	14,200.00 ₺
	20								Kg. 2,500 (5,51 lbs.) 66cm (26") Namlu Boyu		14,200.00 ₺
	28	68 (27) 71 (28)					70 (2,75)		Kg. 2,350 (5,18 lbs.) 66cm (26") Namlu Boyu	50MM (1,96) **** F/M/MC	15,025.00 ₺
	.410						76 (3)		Kg. 2,450 (5,40 lbs.) 66cm (26") Namlu Boyu		15,025.00 ₺

FEELING SELECT	12	61 (24) 68 (27) 71 (28)	Standart Kabze	Avrupa Cevizi Ayar 2 Yağlı Uygulama	57 (2,24) 36 (1,41)	Rubber Flat Double Ventilated	76 (3)	Alüminyum Alışım White Anodized engraved	Kg. 2,750 (6,06 lbs.) 66cm (26") Namlu Boyu	50MM (1,96) *; ***; **** F/M/MC Shot Steel	15,475.00 ₺
	20								Kg. 2,500 (5,51 lbs.) 66cm (26") Namlu Boyu		15,475.00 ₺
	28	68 (27) 71 (28)							Kg. 2,350 (5,18 lbs.) 66cm (26") Namlu Boyu	50MM (1,96) *; ***; **** F/M/MC Shot Steel	16,750.00 ₺
	.410								Kg. 2,450 (5,40 lbs.) 66cm (26") Namlu Boyu		16,750.00 ₺
FEELING WOODCOCK	12	62 (24)	Standart Kabze	Avrupa Cevizi Ayar 2 Yağlı Uygulama	57 (2,24) 36 (1,41)	Rubber Flat Double Ventilated	76 (3)	Alüminyum Alışım Sentetik	Kg. 2,600 (5,73 lbs.)	50MM (1,96) ****;****; Paradox M/MC	15,475.00 ₺
	20								Kg. 2,400 (5,29 lbs.)		15,475.00 ₺
	28	62 (24)							Avrupa Cevizi Ayar 2 Yağlı Uygulama	57 (2,24) 36 (1,41)	Rubber Flat Double Ventilated
FEELING WOODCOCK SELECT	12	62 (24)	Standart Kabze	Avrupa Cevizi Ayar 3 Yağlı Uygulama	57 (2,24) 36 (1,41)	Rubber Flat Double Ventilated	76 (3)	Alüminyum Alışım White Anodized engraved	Kg. 2,600 (5,73 lbs.)	50MM (1,96) ****;****; Paradox M/MC	13,750.00 ₺
FEELING SPORTING	12	71 (28) 76 (30)	Standart Kabze	Avrupa Cevizi Ayar 2 Yağlı Uygulama	55 (2,16) 36 (1,41)	Rubber Flat Double Ventilated	76 (3)	Steel Sentetik Engraved	Kg. 3,500 (7,71 lbs.) 71cm (28") Namlu Boyu	70MM (2,75) knđ, *, **, ***, ****, ***** F, I, M, MC, C, Steel Shot	16,350.00 ₺
FEELING SPORTING ADJUSTABLE					ADJ						18,325.00 ₺
INSTINCT CATALYST	12	71 (28)	Standart Kabze	Avrupa Cevizi Ayar 2 Yağlı Uygulama	57 (2,24) 36 (1,41)	Soft Rubber Flat	76 (3)	Steel Color- case	Kg. 3,250 (5,73 lbs.)	50MM (1,96) *;***;****; F/M/MC	13,450.00 ₺
ÇİFTE											
Model	Kalibre	Namlu Boyuna cm (")	Dipçik	Dipçik & Kabze	Drop mm (*)	Pad mm (*)	Fişek Yatağı mm (*)	Gövde	Ağırlık Kg. (lbs.)	Şoklar	T.E.P.F (TL)
ESPRIT	12	61 (24) 68 (27) 71 (28)	İngiliz Kundak	Avrupa Cevizi Ayar 2.5 Yağlı Uygulama	59 (2,32)	Rubber Flat	76 (3)	Steel Colour Cased	Kg. 2,900 (6,39 lbs.) 66cm (26") Namlu Boyu	50MM (1,96) *; ***; **** F/M/MC Shot Steel	29,125.00 ₺
	20								Kg. 2,600 (5,73 lbs.) 66cm (26") Namlu Boyu		29,125.00 ₺
	28								70 (2,75)	Kg. 2,400 (5,29 lbs.) 66cm (26") Namlu Boyu	50MM (1,96) *; ***; **** F/M/MC